

## BIBLIOGRAPHY FOR *Phragmites australis*

Kirk J. Havens, updated 12/21/05

---

This bibliography is intended for the use of those interested in research involving *Phragmites australis*. If you have other references to add to this list, please email the reference in the same format as below and it will be added. In this manner, a comprehensive reference list can be maintained for all to use.

---

- Adams, K.R. 1990. Prehistoric reedgrass (*Phragmites*) "cigarettes" with tobacco (*Nicotiana*) contents: A case study from Red Bow Cliff Dwelling, Arizona. *J. Ethnobiol.* 10(2): 123-139.
- Adcock, PW, GG Ganf. 1994. Growth characteristics of three macrophyte species growing in a natural and constructed wetland system. pp 95-102 in HJ Bavor, DS Mitchell (eds), *Wetland Systems in Water Pollution Control*, Sydney, Australia.
- Ailstock, MS, TW Suman, DH Williams. 1987. Environmental Impacts, Treatment Methodologies, and Management Criteria for Establishment of a Statewide Policy for the Control of the Marsh Plant *Phragmites*, Year One. Report to Maryland Department of Natural Resources, Annapolis, MD. 62 pp.
- Al-Saadi, HA, AH Al-Mousawi. 1988. Some notes on the ecology of aquatic plants in the Al-Hammar marsh, Iraq. *Vegetatio* 75:131-133.
- Alizai, SA, J McManus. 1980. The significance of reed beds on siltation in the Tay Estuary. *Proc R Soc Edinburgh* 78:Sect. B, 1-13.
- Allen, SE, WH Pearsall. 1963. Leaf analysis and shoot production in *Phragmites*. *Oikos* 14:176-189.
- Amsberry, L, Baker, M.A., Ewanchuk, P.J., and Bertness, M.A. 2000. Clonal integration and the expansion of *Phragmites australis*. *Ecological Applications*. 10: 1110-1118.
- Anderson, FO. 1976. Primary production in a shallow water lake with special reference to a reed swamp. *Oikos* 27:243-250.
- Andersen, FO, JL Hansen. 1982. Nitrogen cycling and microbial decomposition in sediments with *Phragmites australis* (Poaceae). *Hydrobiology Bulletin* 16:11-19.
- Arias, C. A., M. Del Bubba, and H. Brix. 2001. Phosphorus removal by sands for use as media in subsurface flow constructed reed beds. *Water Research* 35:1159-1168.
- Armstrong, J, W Armstrong. 1988. *Phragmites australis* - a preliminary study of soil oxidizing sites and internal gas transport pathways. *New Phytologist* 108:373-382.
- Armstrong, J, W Armstrong, PM Beckett. 1988. *Phragmites australis*: a critical appraisal of the ventilating pressure concept and an analysis of resistance to pressurized gas flow and gaseous diffusion in horizontal rhizomes. *New Phytol* 110:383-389.
- Armstrong, J, W Armstrong. 1991. A convective through-flow of gasses in *Phragmites australis* (Cav) Trin ex Steud. *Aquatic Botany* 39:75-88.
- Armstrong, J, W Armstrong, IB Armstrong, GR Pittaway. 1996. Senescence and phytotoxin, insect, fungal, and mechanical damage: factors reducing convective gas-flows in *Phragmites australis*. *Aquatic Botany* 54:211-226.
- Ashour Ahmed, S. 1990. Integration of chemical, physical, and mechanical methods in common reed (*Phragmites australis*) management. pp 9-10 in PRF Barrett, MP Greaves, KJ Murphy, AH Pieterse, PM Wade, M Wallstem (eds), 8th International Symposium on Aquatic Weeds, 13-17 August 1990, Swedish University of Agricultural Sciences, Uppsala, Sweden.
- Banoub, MW. 1975. The effects of reeds on the water chemistry of Gnadensee (Bodensee). *Arch Hydrobiol* 75:500-521.
- Barclay, AM, Ingram, HAP, Lynch, BM, Sprent, JI, McMillan, RL. 1976. *The performance of reeds in the Firth of Tay, 1975*. (Contractor: University of Dundee, Department of Biological Sciences) Unpublished report to Nature Conservancy Council, Edinburgh. 19pp.
- Barnard, T.A. Jr. and P.A. Mason. 1990. Compensatory mitigation within the tidal wetlands of Virginia. Technical Report 90-7, Virginia Institute of Marine Science, College of William & Mary.
- Bart, D. and Hartman, J.M. 2000. Environmental determinants of *Phragmites australis* expansion in a New Jersey salt marsh: an experimental approach. 2000. *Oikos*. 89: 59-69.
- Bart, D. and Hartman, J.M. 2002. Environmental constraints on early establishment of *Phragmites australis* in salt marshes. *Wetlands*. 22: 201-213.

- Bart, D. and Hartman, J.M. 2003. The role of large rhizome dispersal and low salinity windows in the establishment of common reed, *Phragmites australis*, in salt marshes: New links to human activities. *Estuaries*. 26: 436-443.
- Batterson, TR, DW Hall. 1984. Common reed, *Phragmites australis* (Cav) Trin ex Steudel. *Aquatics* 6:16-20.
- Baudo, R, E Canzian, G Galanti, P Guilizzoni, G Rapetti. 1985. Relationships between heavy metals and aquatic organisms in Lake Mezzola hydrographic system (northern Italy) VI: metal concentrations in two species of emergent macrophytes. *Mem Ist Ital Idrobiol* 43:161-180.
- Bayly, IL, TA O'Niell. 1972. Seasonal ionic fluctuations in a *Phragmites communis* community. *Canadian Journal of Botany* 50:2103-2109.
- Beall, DL. 1984. Brigantine Division - Marsh Vegetation Rehabilitation - Chemical Control of Phragmites. Unpublished report by U.S. Fish and Wildlife Service, Oceanville, NJ. 8 pp.
- Beare, P.A. and J.B. Zedler. 1987. Cattail invasion and persistence in a coastal salt marsh: The role of salinity reduction. *Estuaries* 10(2): 165-170.
- Beck, RA. 1957. Herbicides increase game foods and edge in solid stands of phragmites. Down to Earth Dow Chemical Company. 2 pp.
- Beck, RA. 1971. Phragmites control for urban, industrial, and wildlife needs. Proceedings fo the 25th Northeastern Weed Science Meeting 25:89-90.
- Beck, RA, JH Steenis. 1964. *Phragmites* control in Delaware. pp 504-506 in Proceedings of the Northeastern Weed Control Conference, New York, NY.
- Bertness, M.D., Ewanchuk, P.J., and Silliman, B.R. 2002. Anthropogenic modification of a New England Salt marsh landscape. *PNAS*. 99(3): 1395-1398.
- Best, EPH, JHA Dassen. 1987. A seasonal study of growth characteristics and the levels of carbohydrates and proteins in *Elodia nuttallii*, *Polygonum amphibium*, and *Phragmites australis*. *Aquatic Botany* 28:353-372.
- Best, EPH, M Zippin, JHA Dassen. 1981. Growth and production of *Phragmites australis* in Lake Vechten (the Netherlands). *Hydrobiology Bulletin*, Netherlands Hydrobiological Society, 15(3):165-174.
- Best, EPH, M Zippin, JHA Dassen. 1982. Studies on decomposition of *Phragmites australis* leaves under laboratory conditions. *Hydrobiology Bulletin* 16(1):21-23.
- Bibby, CJ, J Lunn. 1982. Conservation of reed beds and their avifauna in England and Wales. *Biological Conservation* 23:167-186.
- Biddlestone, AJ, KR Gray, K Thurairajan. 1991. A botanical approach to the treatment of wastewaters. *Journal Biotechnology* 17:209-220.
- Bird, ECF. 1961. Reed growth in the Gippsland Lakes. *Vict Nat* 77:262-268
- Bjork, S. 1967. Ecological investigations of *Phragmites communis*: studies in theoretic and applied limnology. *Folia Limnol Scand* 14:1-248.
- Bjorndahl, G. 1983. Structure and biomass of *Phragmites* stands. PhD Thesis, University of Goteborg, Sweden. 207 pp.
- Bloomfield, JRG. 1975. The Use of Dalapon and Glyphosate for the Control of *Phragmites australis* (Cav) Trin ex Steud in Established Alfalfa. Joint Agricultural Research and Development Project, University of North Wales, Bangor, UK and Ministry of Agriculture and Water, Saudi Arabia. Publication number 56. 8 pp.
- Boar, RR. 1987. Aspects of the Ecology of the Common Reed, *Phragmites australis*, in the Norfolk Broadland. PhD Thesis, University of East Anglia.
- Boar, RR, CE Crook. 1985. Investigations into the causes of reedswamp regression in the Norfolk Broads. *Proceedings of the International Association of Theoretical and Applied Limnology* 22:2916-2919.

- Boar, RR, CE Crook, B Moss. 1989. Regression of *Phragmites australis* reed-swamps and recent changes of water chemistry in the Norfolk Broadland, England. *Aquatic Botany* 35:41-55.
- Bodensteiner, L. R., and A. O. Gabriel. 2003. Response of mid-water common reed stands to water level variations and winter conditions in Lake Poygan, Wisconsin, USA. *Aquatic Botany* 76:49-64.
- Bongiorno, SF, JR Troutman, TJ Steinke, S Kawa-Raymond, D Warner. 1984. A study of restoration in Pine Creek Salt Marsh, Fairfield, Connecticut. in FJ Webb, ed, Proceedings of the 11th Annual Conference in Wetlands Restoration and Creation, Hillsborough Community College, Tampa, FL.
- Bontje, MR, SM Stedman. 1991. A successful salt marsh restoration in the New Jersey Meadowlands. pp 5-16 in FJ Webb Jr (ed), Proceedings of the 18th Annual Conf on Wetlands Rest and Creation, Hillborough Community College, Plant City, FL.
- Boone, J, E Furbish, K Turner. 1987. Control of *Phragmites communis*: Results of Burning, Cutting, and Covering with Plastic in a North Carolina Marsh. Cooperative Park Service Unit Technical Report 41, US Department of the Interior, National Park Service, Athens, Georgia. 15 pp.
- Boone, J, E Furbish, K Turner, S Bratton. 1988. Clear plastic: a non-chemical herbicide. *Restoration and Management Notes* 6:94-95.
- Boorman, LA, RM Fuller. 1981. The changing status of reedswamp in the Norfolk Broads. *Journal of Applied Ecology* 18:241-269.
- Boorman, LA, RM Fuller, RR Boar. 1979. Recent changes in the distribution of reed-swamp in Broadland. Final contract report to the Nature Conservancy Council, ITE Project 605. 54 pp.
- Breternitz, DA, CK Robinson, GT Gross. 1986. Dolores archaeological program: final synthetic report. US Department of the Interior, Bureau of Reclamation, Denver, Colorado.
- Brix, H. 1988. Light-dependent variations in the composition of the internal atmosphere of *Phragmites australis* (Cav) Trin ex Steud. *Aquatic Botany* 30:319-329.
- Brix, H. 1989. Gas exchange through dead culms of reed, *Phragmites australis* (Cav) Trin ex Steud. *Aquatic Botany* 35:81-98.
- Brix, H. 1990. Uptake and photosynthetic utilization of sediment-derived carbon by *Phragmites australis*. *Aquatic Botany* 38:377-389.
- Brix, H. 1990. Gas exchange through the soil-atmosphere interphase and through dead culms of *Phragmites australis* in a constructed reed bed receiving domestic sewage. *Water Res* 24:259-266.
- Brix, H, HH Schierup. 1989. The use of macrophytes in water-pollution control. *Ambio* 18:100-107.
- Brix, H, HH Schierup. 1989. Sewage treatment in constructed reedbeds - Danish experiences. pp 1665-1668 in L Lijklema, *et al* (eds), *Water Pollution Research and Control, Part 5*, Brighton, UK.
- Brix, H. 1996. Dynamics and stability of reed-dominated ecosystems. Fourth Symp on Biogeochemistry of Wetlands, 4-6 March 1996, New Orleans, LA.
- Bromfield, WA. 1841-2. Curious form of the common reed. *Phytologist* 1:146.
- Bryant, T. 1985. Control *Phragmites*, restore Delaware's marshes. *Delaware Sea Grant Reporter* 4:3-5.
- Buchsbaum, H, M Horowitz, Y Kleifeld, G Herzlinger, A Bargutti. 1985. Experiments on the control of *Phragmites* in drainage canals. *Phytoparasitica* 13(3-4):249-250.
- Burian, K. 1971. Primary production, carbon dioxide exchange, and transpiration in *Phragmites communis* on the lake Nersiedler See, Austria. *Hydrobiologia* 12:203-218.
- Burdick, D.M, Buchsbaum, R. and Holt, E. 2001. Variation in soil salinity associated with expansion of *Phragmites australis* in salt marshes. *Environmental and Experimental Botany*. 46: 247-261.
- Burdick, D.M. and Konisky, R.A. 2003. Determinants of Expansion for *Phragmites australis*, Common Reed, in Natural and Impacted Coastal Marshes. *Estuaries*. 26: 407-416.
- Burger, J, LM Miller. 1977. Colony and nest site selection in white-faced and glossy ibises. *The Auk* 94:664-676.

- Burgoon, PS, TA DeBusk, KR Reddy, B Koopman. 1991. Vegetated submerged beds with artificial substrates I: BOD removal. *J Environmental Engineering* 117:394-407.
- Burgoon, PS, KR Reddy, TA DeBusk, B Koopman. 1991. Vegetated submerged beds with artificial substrates II: N and P removal. *J Environmental Engineering* 117:408-424.
- Butler, JE, RF Loverridge, DA Bone. 1989. Crop Production and sewage treatment using gravel bed hydroponic irrigation. pp 1669-1672 in L Lijklema, *et al* (eds), *Water Pollution Research and Control, Part 5*, Brighton, UK.
- Buttery, BR. 1959. An Investigation into the Competition between *Glyceria maxima* and *Phragmites communis* in the Region of Surlingham Broad, Norfolk. PhD Thesis, University of Southampton.
- Buttery, BR, JM Lambert. 1965. Competition between *Glyceria maxima* and *Phragmites communis* in the region of Surlingham Broad I: the competition mechanisms. *Journal of Ecology* 53:163-181.
- Buttery, BR, WT Williams, JM Lambert. 1965. Competition between *Glyceria maxima* and *Phragmites communis* in the region of Surlingham Broad II: the fen gradient. *Journal of Ecology* 53:183-195.
- Campana, M. 1999. The effect of *Phragmites australis* invasion on community processes in a tidal freshwater marsh. Masters Thesis, College of William and Mary, Virginia Institute of Marine Science, 88pp.
- Casagrande, D.G. 1996. A value based policy approach: The case of an urban salt marsh restoration. *Coastal Management* 24: 327-337.
- Ceruzzi, DM. 1986. Analysis of decomposition of *Phragmites australis* and *Typha angustifolia* in the Connecticut River estuary. *The Bulletin of the New Jersey Academy of Science* 31(1):6.
- Chambers, R.M. 1997. Porewater chemistry associated with *Phragmites* and *Spartina* in a Connecticut tidal marsh. *Wetlands*. 17: 360-367.
- Chambers, R.M., Meyerson, L.A., and Saltonstall, K. 1999. Expansion of *Phragmites australis* into tidal wetlands of North America. *Aquatic Botany*. 64: 261-273.
- Chambers, R.M., Mozdzer, T.J., and Ambrose, J.C. 1998. Effects of salinity and sulfide on the distribution of *Phragmites australis* and *Spartina alterniflora* in a tidal saltmarsh. *Aquatic Botany*. 62: 161-169.
- Chambers, R.M., Osgood, D.T., Bart, D.J., and Montalto, F. 2003. *Phragmites australis* invasion and expansion in tidal wetlands: interactions among salinity, sulfide, and hydrology. *Estuaries*. 26(2B): 398-406.
- Chesney, MC, Nicol, M. 1987. Population and dispersal of juvenile sedge warblers (*Acrocephalus schoenobaenus*) from Errol reed beds, Tayside. *Tay Ringing Group Report*, 1984-86: 1-14.
- Chuzhoza, AP, LY Arbuzova. 1970. Specific morphological and biological features of aquatic adventitious roots in *Phragmites communis* Trin. *Botanichnyi Zhurnal (Kiev)* 55:1473-1480.
- Cizkova-Koncalova, H, J Kvet, K Thompson. 1992. Carbon starvation: a key to reed decline in eutrophic lakes. *Aquatic Botany* 43:105-113.
- Cizkova, H., L. Pechar, S. Husak, J. Kvet, V. Bauer, J. Radova, and K. Edwards. 2001. Chemical characteristics of soils and pore waters of three wetland sites dominated by *Phragmites australis*: relation to vegetation composition and reed performance. *Aquatic Botany* 69:235-249.
- Cizkova, H., V. Istvanovics, V. Bauer, and L. Balazs. 2001. Low levels of reserve carbohydrates in reed (*Phragmites australis*) stands of Kis-Balaton, Hungary. *Aquatic Botany* 69:209-216.
- Clancy, K, AE Schuyler. 1992. Biotic Composition of Selected Freshwater Marshes and a Survey of Natural Community Types Found within the Delaware Coastal Zone, New Castle County. Report to Delaware Coastal Management Program, Dover, Delaware. 66 pp.
- Clark, KH. 1993. Invasive Plants of Virginia: Common Reed (*Phragmites australis* (Cav) Trin ex Steud). Fact sheet series by Virginia Department of Conservation and Recreation, Division of Natural Heritage, Richmond, Virginia.

- Clark, KH. 1993. Southern Watersheds Common Reed Project: Progress Report. Report to the U.S. Environmental Protection Agency by the Virginia Department of Conservation and Recreation, Richmond, Virginia. 14 pp.
- Clark, KH. 1995. Southern Watersheds Common Reed Project: 1994 Progress Report. Report to the U.S. Environmental Protection Agency and the U.S. Fish and Wildlife Service by the Virginia Department of Conservation and Recreation, Richmond, Virginia. 20 pp.
- Clevering, O.A. 1998. Effects of litter accumulation and water table on morphology and productivity of *Phragmites australis*. *Wetlands Ecology and Management* 5: 275-287.
- Clayton, WD. 1968. The correct name of the common reed. *Taxon* 17:168-169.
- Conder, P. 1964. Notes on the management of the freshwater reedmarsh of Mismere and the saltwater lagoons of Havergate Island, Suffolk, England. 160945 IUCN March: 302-316.
- Coops, H, R Boeters, H Smit. 1991. Direct and indirect effects of wave attack on helophytes. *Aquatic Botany* 41:333-352.
- Coops, H, N Geilen, G van der Velde. 1994. Distribution and growth of the helophyte species *Phragmites australis* and *Scirpus lacustris* in water depth gradients in relation to wave exposure. *Aquatic Botany* 48:273-284.
- Coupar, AM, Glover, JG, Ingram, HAP, Sprent, JI. 1979. *The performance of reeds in the Firth of Tay, 1978*. (Contractor: University of Dundee, Department of Biological Sciences, Dundee.) Unpublished report to Nature Conservancy Council, South-east (Scotland) Region, Edinburgh. 10pp + figures.
- Crook, CE, RR Boar, B Moss. 1983. The decline of reedswamp in the Norfolk Broadland: causes, consequences, and solutions. *Broads Authority Research Services* 6. 132 pp.
- Cross, DH, KL Fleming. 1989. Control of *Phragmites* or common reed. US Fish and Wildlife Leaflet 13.4.12. *Waterfowl Management Handbook*. U.S. Department of the Interior, Fish and Wildlife Service, Washington, District of Columbia. 5 pp.
- Daiber, F.C. 1986. Conservation of Tidal Marshes. Van Nostrand Reinhold Co., New York.
- Daly, PD. 1984. Prime Hook Narrative Report. Unpublished report by US Department of the Interior, Fish and Wildlife Service. 15 pp.
- Daniels, RE. 1975. Observations of the performance of *Narthecium ossifragum* (L) Huds and *Phragmites communis* Trin. *Journal of Ecology* 63:965-978.
- Daniels, RE. 1991. Variation in performance of *Phragmites australis* in experimental culture. *Aquatic Botany* 42:41-48.
- Davis, AN, TL Briggs. 1986. Dispersion pattern of aerial shoots of the common marsh reed *Phragmites australis* (Poaceae). *Rhodora* 88:325-330.
- DeBruyn, L. 1987. Habitat utilization of three Western European *Lipara* species (Diptera, Chloropidae), a pest of the common reed *Phragmites australis*. *Medelingen Faculteit Landbouwwetenscke Rijksuniversiteit Gent* 52:267-272.
- DeLaCruz, AA. 1978. The production of pulp from marsh grass. *Econ Bot* 32:46-50.
- Dill, HH. 1958. Controlling cattails and *Phragmites* with amitrol. *Proceedings of the Northeastern Weed Control Conference*: 57-58.
- Dill, G. 1984. Winning the phragmites fight. *Delaware Fins and Feathers* 6(2):6.
- Dill, K. M., and M. A. Perkowski. 2001. Baldwinian learning utilizing genetic and heuristic algorithms for logic synthesis and minimization of incompletely specified data with Generalized Reed-Muller (AND-EXOR) forms. *Journal of Systems Architecture* 47:477-489.
- Dinka, M. 1986. The effect of mineral nutrient enrichment of Lake Balaton on the common reed (*Phragmites australis*). *Folia Geobotanica et Phytotaxonomica* 21(1):65-84.

- Doaigey, AR, HA Gawad, ESM Meligy. 1988. Histological characters of some marsh plants with special reference to intercellular air spaces and vascular tissues. *J Univ Kuwait* 15:299-312.
- Dokulil, M. 1973. Planktonic primary production within the *Phragmites* community of Lake Neusiedlersee (Austria). *Polish Archives of Hydrobiology* 20:175-180.
- Durska, B. 1970. Changes in the reed (*Phragmites communis* Trin) condition caused by diseases of fungal and animal origin. *Polish Archives of Hydrobiology* 17:373-396.
- Dykyjova, D, S Hejny, J Kvet. 1970. Seasonal changes in productivity and vertical structure of reedstands (*Phragmites communis*). *Photosynthetica* 4:280-287.
- Dykyjova, D, S Hejny, J Kvet. 1973. Proposal for international comparative investigation of production by stands of reed (*Phragmites communis*). *Folia Geobotanica et Phytotaxonomica* 8:435-442.
- Dykyjova, D, D Hradecka. 1973. Productivity of reed-bed stands in relation to the ecotypes, microclimate, and trophic conditions of the habitat. *Polish Archives Hydrobiology* 20:111-119.
- Dykyjova, D, D Hradecka. 1976. Production ecology of *Phragmites australis* 1: relations of two ecotypes to the microclimate and nutrient conditions of habitat. *Folia Geobotanica et Phytotaxonomica* 11:23-61.
- Dykyjova, D, Z Pazourkova. 1979. A diploid form of *Phragmites communis* as a possible result of cytogenetical response to ecological stress. *Folia Geobotanica et Phytotaxonomica, Praha* 14:113-120.
- Eaton, RJ. 1952. Status of *Phragmites communis* Trin var *berlandieri* (Fourn) Fernald along the Sudbury River in eastern Massachusettes. *Rhodora* 54:135-138.
- Eleuterius, LN, JI Gill. 1983. A Study of Plant Establishment on Spoil Area in Mississippi Sound. US Army Corps of Engineers Field Report DA(NO1-72-C-001).
- Evans, DM. 1987. *Phragmites* control with glyphosate through selected equipment. Proceedings 6th EWRS International Symposium on Aquatic Weeds, Brussels, Belgium. pp 209-211.
- Farnsworth, E.J. and Meyerson, L.A. 2003. Comparative ecophysiology of four wetland plant species along a continuum of invasiveness. *Wetlands*. 23: 750-762.
- Fell, P.E. S.P. Weissbach, D.A. Jones, M.A. Fallon, J.A. Zeppieri, E.K. Faison, K.A. Lennon, K.J Newberry, and L.K. Reddington. 1998. Does invasion of oligohaline tidal marshes by reed grass, *Phragmites australis* (Cav.) Trin. ex Steud., affect the availability of prey resources for the mummichog, *Fundulus heteroclitus* L.? *Journal of Experimental Marine Biology and Ecology* 222: 59-77.
- Fernald, ML. 1932. *Phragmites communis* Trin var *berlandieri* (Fourn). *Rhodora* 34:211-212.
- Fiala, K. 1976. Underground organs of *Phragmites communis*: their growth, biomass, and net production. *Folia Geobotanica Phytotaxonomica* 11:225-259.
- Fiala, K, D Dykyjova, J Kvet, J Svoboda. 1968. Methods of assessing rhizome and root production in reed-bed stands. pp 36-47 in MS Ghilarov (ed), *Methods of Productivity Studies in Root Systems and Rhizosphere Organisms*. Nauka, Leningrad.
- Feng, Z., and R. Alen. 2001. Soda-AQ pulping of reed canary grass. *Industrial Crops and Products* 14:31-39.
- Finell, M., C. Nilsson, R. Olsson, R. Agnemo, and S. Svensson. 2002. Briquetting of fractionated reed canary-grass for pulp production. *Industrial Crops and Products* 16:185-192.
- Fogli, S., R. Marchesini, and R. Gerdol. 2002. Reed (*Phragmites australis*) decline in a brackish wetland in Italy. *Marine Environmental Research* 53:465-479
- Forbes, MRL, HP Barkhouse, PC Smith. 1989. Nest-site selection by pied-billed grebes *Podilymbus podiceps*. *Ornis Scand* 20:211-218.
- Furbish, CE, SP Bratton, K Turner. 1987. Removal of *Phragmites communis* using clear plastic mulch. *Restoration and Management Notes* 51(2):1987.

- Galatowitsch, SM, NO Anderson, and PD Ascher. 1999. Invasiveness in wetland plants in temperate North America. *Wetlands* 19:733-755.
- Galinato, MI, AG van der Valk. 1986. Seed germination traits of annuals and emergents recruited during drawdowns in the Delta Marsh, Manitoba, Canada. *Aquatic Botany* 26:89-102.
- Gallagher, JL, MJ Mills. 1986. Seasonal patterns in storage of carbohydrates in *Phragmites australis*. *American Journal of Botany* 73(5):667.
- Gallagher, JL, MJ Mills. 1988. Effect of application time and rate of glyphosate on *Phragmites australis*. Progress Report Halophyte Biological Laboratory, University of Delaware, Lewes, Delaware. 16 pp.
- Gallagher, JL, MJ Mills, PL Wolf, BJ Dubinski. 1987. Seasonal patterns in storage carbohydrates in *Phragmites australis*. Waterfowl and Wetlands Symposium (WR Whitman, WH Meredith, eds), Delaware Coastal Management Program, Delaware Department of Natural Resources and Environmental Control, Dover, Delaware.
- Garcia, J., J. Vivar, M. Aromir, and R. Mujeriego. 2003. Role of hydraulic retention time and granular medium in microbial removal in tertiary treatment reed beds. *Water Research* 37:2645-2653.
- Gaudreault, SM, DA White, DP Hauber. 1989. *Phragmites australis*: an analysis of reproductive differences in two adjacent populations in the Mississippi River delta. *American Journal Botany* 76 suppl:103.
- Geisslhofer, M, K Burian. 1970. Biometric studies in the dense stands of reeds of Lake Neusiedl. *Oikos* 21:248-254.
- Geller, MS. 1972. Phragmites: life preserver of the salt marsh. *Underwater Naturalist* 7:4-11.
- Gervais, C, T Trahan, D Moreno, AM Drolet. 1993. Le *Phragmites australis* au Québec: distribution géographique, nombres chromosomiques et reproduction. *Can J Botany* 71:1386-1393.
- Gloser, J. 1978. Net photosynthesis and dark respiration of reed estimated by gas-exchange measurements . In Dykyjova, D. And J. Kvet (eds.): *Pond Littoral Ecosystems*. Springer-Verlag, Berlin, Germany, pp. 227-234.
- Gooch, JW, R Dawson, KA Warner, N De Bert-Hastings. 1991. Analysis of Glyphosate and AMPA in Water and Sediment Samples from Estuarine Areas Treated for Phragmites Control. Final Report to Maryland Department of the Environment, Baltimore, Maryland. 168 pp.
- Gorenflot, R, *et al.* 1972. The polyploid complex of *Phragmites communis*. *Séances Acad Scir Ser Sci Nat (Paris)* 274:1501-1504.
- Gorham, E. 1979. Shoot hieght, weight, and standing crop in relation to density in monospecific plant stands. *Nature* 279:148-150.
- Gorham, E, WH Pearsall. 1956. Production ecology III: shoot production in *Phragmites* in relation to habitat. *Oikos* 7:206-214.
- Granéli, W. 1984. Reed *Phragmites australis* as an energy source in Sweden. *Biomass* 4:183-208.
- Granéli, W. 1985. Biomass response after nutrient addition to natural stands of reed, *Phragmites australis*. *Proceedings of the International Association of Theoretical and Applied Limnology* 22:2956-2961.
- Granéli, W. 1987. Shoot density regulation in stands of reed, *Phragmites australis* (Cav) Trin ex Steud. *Arch Hydrobiol Beih Ergeb Limnol.* 27:211-222.
- Granéli, W. 1989. Influence of standing litter on shoot production in reed, *Phragmites australis* (Cav) Trin ex Steudal. *Aquatic Botany* 35:99-109.
- Granéli, W. 1990. Standing crop and mineral content of reed, *Phragmites australis*, in Seden - management of reed stands to maximize harvestable biomass. *Folia Geobotanica et Phytotaxonomica* 25:291-302.

- Granéli, W, MD Sytsma, S Weisner. 1983. Changes in biomass, nonstructural carbohydrates, nitrogen, and phosphorus content of the rhizomes and shoots of *Phragmites australis* during spring growth. Proceedings of the International Symposium of Aquatic Macrophytes 1983:78-83, Nijmegen, the Netherlands.
- Granéli, W, SEB Weisner, MS Sytsma. 1992. Rhizome dynamics and resource storage in *Phragmites australis*. Wetlands Ecology and Management 1(4):239-247.
- Gries, C, D Garbe. 1989. Biomass and nitrogen, phosphorus, and heavy metal content of *Phragmites australis* during the third year growing season in a root zone wastewater treatment. Arch Hydrobiol 117:97-105.
- Gries, C, L. Kappen, and R. Losch. 1990. Mechanismes of flood tolerance in reed, *Phragmites australis* Trin. Ex. Steud. New Phytologist 114:589-593.
- Gustafsson, A, M Simak. 1963. X-ray photography and seed sterility in *Phragmites communis* Trin. Hereditus 49:442-450.
- Guthruf, K, C Zenger, R Braindle. 1993. The habitat dependent productivity of reed (*Phragmites australis*) and its significance. pp 1-7 in W Ostendorp, P Krumscheid-Plankert (eds), Lakeshore Deterioration and Restoration Works in Central Europe, Fischer-Verlag, Stuttgart, FRG.
- Hansson, LA, W Granéli. 1984. Effects of winter harvest on water and sediment chemistry in a stand of reed (*Phragmites australis*). Hydrobiologia 112(2):131-136.
- Hara, T. 1984. Dynamics of stand structure in plant monocultures. Journal of Theoretical Biology 110:223-239.
- Hara, T, J van der Toorn, JH Mook. 1993. Growth dynamics and size structure of shoots of *Phragmites australis*, a clonal plant. Journal of Ecology 81:47-60.
- Harris, SW, WH Marshall. 1960. Experimental germination and seed establishment of seedlings of *Phragmites communis*. Ecology 41:395.
- Hartog, D, CJ Kvet, H Sukopp. 1989. Reed: a common species in decline. Aquatic Botany 35:1-4.
- Haslam, SM. 1965. Ecological studies in the Breck fens. I. Vegetation in relation to habitat. Journal of Ecology 53:599-619.
- Haslam, SM. 1968. The biology of reed (*Phragmites communis*) in relation to its control. pp 382-397 in Proceedings of the Ninth British Weed Control Conference.
- Haslam, SM. 1969. Stem types of *Phragmites communis* Trin. Annals of Botany 33:127-131.
- Haslam, SM. 1969. The development and emergence of buds in *Phragmites communis* Trin. Annals of Botany 33:289-301.
- Haslam, SM. 1969. The development of shoots in *Phragmites communis* Trin. Annals of Botany 33:695-709.
- Haslam, SM. 1969. The reed: a study of *Phragmites communis* Trin in relation to its cultivation and harvesting in East Anglia for the thatching industry. Norfolk Reed Growers' Association I.
- Haslam, SM. 1970. Variation of population type in *Phragmites communis* Trin. Annals of Botany 34:147-158.
- Haslam, SM. 1970. The development of the annual population in *Phragmites communis*. Annals of Botany 34:571-591.
- Haslam, SM. 1970. The performance of *Phragmites communis* in relation to water supply. Annals of Botany 34:867-877.
- Haslam, SM. 1971. Community regulation in *Phragmites communis* I: monodominant stands. Journal of Ecology 59:65-73.
- Haslam, SM. 1971. Community regulation in *Phragmites communis* II: mixed stands. Journal of Ecology 59:75-88

- Haslam, SM. 1971. Shoot height and density in *Phragmites* stands. *Hydrobiologia Bucuresti* 12:113-119.
- Haslam, SM. 1971. The development and establishment of young plants of *Phragmites communis*. *Annals of Botany* (n.s.) 35:1059-1072.
- Haslam, SM. 1972. Biological flora of the British Isles: *Phragmites communis*. *Journal of Ecology* 60:585-610.
- Haslam, SM. 1973. Some aspects of the life history and autecology of *Phragmites communis*. *Polish Archives of Hydrobiology* 2079-2100.
- Haslam, SM. 1973. The management of British wetlands II: conservation. *Journal of Environmental Management* 1:345-361.
- Haslam, SM. 1975. The performance of *Phragmites communis* Trin. in relation to temperature. *Annals of Botany* 39:881-888.
- Haslam, SM. 1979. Infrared color photography and *Phragmites communis*. *Polskie Archiwum Hydrobiologie* 26:65-72.
- Haslam, SM. 1989. Early decay of *Phragmites* thatch: an outline of the problem. *Aquatic Botany* 35:129-132.
- Hauber, DP, DA White, SP Powers, FR DeFrancesch. 1991. Isozyme variation and correspondence with unusual infrared reflectance patterns in *Phragmites australis*. *Plant Systematics and Evolution* 178:1-8.
- Havens, K.J., H. Berquist, and W. I. Priest. 2003. *Phragmites* expansion into constructed wetlands: Are we mortgaging our wetland future? *Estuaries* 26(2B): 418-423.
- Havens, KJ, WI Priest III, H Berquist. 1997. Investigation and long-term monitoring of *Phragmites australis* within Virginia's constructed wetland sites. *Environmental Management* 21(4):599-605.
- Hayden, A. 1947. Notes on destructive factors operating among the emergent plants of the Ruthaven area in summer of 1947. *Quarterly Report of the Iowa Cooperative Wildlife Research Unit* 44:331-343.
- Hellings, SE, JL Gallagher. 1992. The effects of salinity and flooding on *Phragmites australis*. *Journal of Applied Ecology* 29:41-49.
- Hietz, P. 1992. Decomposition and nutrient dynamics of reed (*Phragmites australis*) litter in Lake Neusiedl, Austria. *Aquatic Botany* 43:211-230.
- Ho, YB. 1979. Shoot development and production studies of *Phragmites australis* (Cav) Trin ex Steudel in Scottish Lochs. *Hydrobiologia* 64:215-222.
- Ho, YB. 1980. Development of foliage structure in *Phragmites australis* (Cav) Trin ex Steud stands in Scottish lochs. *Hydrobiologia* 70:159-164.
- Ho, YB. 1981. Mineral composition of *Phragmites australis* in Scottish lochs as related to eutrophication I: seasonal changes in organs. *Hydrobiologia* 85:227-237.
- Hocking, PJ. 1989. Seasonal dynamics of production, nutrient accumulation, and cycling by *Phragmites australis* in nutrient-enriched swamps in inland Australia I: whole plants. *Aust J Freshwater Res* 40:421-444.
- Hocking, PJ, CM Finlayson, AJ Chick. 1983. The biology of Australian weeds 12: *Phragmites australis*. *Journal of the Australian Institute of Agricultural Science* 123-132.
- Hopkinson, CS, JG Gosselink. 1978. Aboveground production of seven marsh plant species in coastal Louisiana. *Ecology* 59:760-769.
- Howard, R, DG Rhodes, JW Simmers. 1977. A Review of the Biology and Potential Control Techniques for *Phragmites australis*. *Environmental Effects Laboratory, Waterways Experiment Station, US Army Corps of Engineers, Vicksburg, MI.* 80 pp.
- Hudec, K, K Stastny. 1978. Birds in the reedswamp ecosystem. pp 366-372 in D Dykyjova and J Kvet (eds), *Pond Littoral Ecosystems: Structure and Functioning.* *Ecol Stud, Springer, Berlin.* 288 pp.

- Hudon, C., Gagnon, P. and Jean, M. 2005. Hydrologic factors controlling the spread of common reed (*Phragmites australis*) in the St. Lawrence River (Quebec, Canada). *Ecoscience*. 12: 347-357.
- Hugo, N. 1996. Invasion of the habitat snatchers. *Virginia Wildlife* 6: 18-25.
- Husak, S. 1971. Productivity and structure of untreated and cut invasion stands of *Phragmites communis* at the Nesyt Fishpond. Dipl Thesis, Purkyni University Brno.
- Husak, S. 1978. Control of reed and reed mace by cutting. pp 404-408 in D Dykyjova and J Kvet, *Pond Littoral Ecosystems*, Springer-Verlag, Berlin.
- Husson, O., M. T. Phung, and M. E. F. Van Mensvoort. 2000. Soil and water indicators for optimal practices when reclaiming acid sulphate soils in the Plain of Reeds, Viet Nam. *Agricultural Water Management* 45:127-143.
- Husson, O., P. H. Verburg, M. T. Phung, and M. E. F. Van Mensvoort. 2000. Spatial variability of acid sulphate soils in the Plain of Reeds, Mekong delta, Vietnam. *Geoderma* 97:1-19.
- Husson, O., K. Hanhart, M. T. Phung, and J. Bouma. 2000. Water management for rice cultivation on acid sulphate soils in the Plain of Reeds, Vietnam. *Agricultural Water Management* 46:91-109.
- Imhoff, G. 1973. Aspects of energy flow by different food chains in a reed bed: a review. *Pol Arch Hydrobiol* 20:65-168.
- Ingram, HAP, Barclay, AM, Coupar, AM, Glover, JG, Lynch, BM, Sprent, JI. 1980. *Phragmites* performance in reed beds in the Tay estuary. pp s89-s107 in: *Tay estuary symposium. Proceedings of the Royal Society of Edinburgh*, **78B**(3/4).
- Ivens, EAM. 1993. Penetration through geotextiles by shoots roots, and rhizomes of the common reed (*Phragmites australis*): a pilot study. pp 197-205 in W Ostendorp, P Krumschied-Plankert (eds), *Lakeshore Deterioration and Restoration Works in Central Europe*, Fischer-Verlag, Stuttgart, FRG.
- Izatt, L. 1979. *Phragmites* - a real problem. *Cane Growers' Quarterly Bulletin*, Queensland, Australia 43(2):40-41.
- Jones, WL, WC Lehman. 1986. *Phragmites* control with aerial applications of glyphosate in Delaware. *Transactions Northeast Fish and Wildlife Conference* 43:15-24.
- Jones, WL, WC Lehman. 1987. *Phragmites* control and revegetation following aerial applications of glyphosate in Delaware. pp 185-199 in WR Whitman and WH Meridith, eds, *Waterfowl and Wetlands Symposium: Proceedings of a Symposium on Waterfowl and Wetlands Management in the coastal Zone of the Atlantic Flyway*. Delaware Coastal Management Program, Delaware Department of Natural Resources and Environmental Control, Dover, Delaware. 522 pp.
- Jones, WL. 1995. The herbicide glyphosate for *phragmites*, purple loosestrife, and cattail control. Pp K56-K70 in WR Whitman, et al (eds), *Waterfowl Habitat Restoration, Enhancement, and Management in the Atlantic Flyway*, Third Edition. Environmental Management Commission, Atlantic Flyway Technical Section and Delaware Division of Fish and Wildlife, Dover, Delaware.
- Jontos, R, CP Allan. 1984. Test salt to control *phragmites* in salt marsh restoration. *Restoration and Management Notes* 2:32.
- Kamio, A. 1985. Studies of the drying of marshy and heavy clay soil ground by means of vegetation: changes in soil water caused by evapotranspiration of *Phragmites australis*. *Journal Yamagata Agriculture and Forestry Society* 42:53-60.
- Kamuro, S. 1960. Plant ecological studies on reedswamps, with special reference to the abiotic habitat factors (1). *Japanese Journal of Ecology* 10:29-33.
- Kane, AE, GT Gross. 1986. *Anasazi Communities at Dolores: Early Anasazi Sites in the Sagehen Flats Area*. Denver, Colorado. 985 pp.
- Kaneta, M, N Sugiyama. 1972. The constituents of *Arthraxon hispidus*, *Miscanthus tinctorius*, *Miscanthus sinensis*, and *Phragmites communis*. *Bulletin Chemical Society Japan* 45:528-531.

- Keller, BEM. 2000. Plant diversity in *Lythrum*, *Phragmites*, and *Typha* marshes, Massachusetts, U.S.A. *Wetlands Ecol. and Mgmt* 8: 391-401.
- Khashes, TM, VI Bobro. 1971. Diurnal and seasonal transpiration dynamics in *Phragmites communis*. *UKR Bot SH* 28:521-524.
- Kim CS. 1975. A study on standing crops in *Phragmites communis* communities and their environmental factors. *Korean Journal Botany* 18:129-134.
- Kim, KS, YS Moon, CK Lim. 1985. Effect of NaCl on germination of *Atriplex gmelini* and *Phragmites communis*. *Korean Journal of Botany* 28:253-259.
- Klotzli, F. 1971. Biogenous influence on aquatic macrophytes, especially *Phragmites communis*. *Hidrobiologia* 12:107-111.
- Klotzli, F, S Zust. 1973. Nitrogen regime in reedbeds. *Pol Arch Hydrobiol* 20:131-136.
- Knauer, K. 1993. Natural and artificial shores at Lake Constance - a comparison of littoral biocoenosis in front of natural reed shores and man-made walls at the lakeside. pp 189-195 in W Ostendorp, P Krumschied-Plankert (eds), *Lakeshore Deterioration and Restoration Works in Central Europe*, Fischer-Verlag, Stuttgart, FRG.
- Kohl, JG, M Henning. 1987. Amino acid content and pattern as an indicator of the hyperfertilization of regressive stands of common reed (*Phragmites australis*). *Arch Hydrobiol Beih Ergebn Limnol* 27:203-210.
- Kohl, JG, R Henze, H Kuhl. 1996. Evaluation of the ventilation resistance to convective gas-flow in rhizomes of the natural reed beds of *Phragmites australis* (Cav) Trin ex Steud. *Aquatic Botany* 54:199-210.
- Kohler, TA, WD Lipe, AE Kane. 1986. Dolores Archaeological Program: Anasazi communities at Dolores: early small settlements in the Dolores River Canyon and Western Sagehen Flats area. US Dept of Interior, Bureau of Reclamation, Engineering, and Research Center, Denver, CO.
- Konisky, R.A. and Burdick, D.M. 2004. Effects of stressors on invasive and halophytic plants of New England salt marshes: A framework for predicting response to tidal restoration. *Wetlands*. 24: 434-447.
- Kraska, M, MA Bobowicz. 1987. Biometric analysis of caryopses different stands of *Phragmites australis*. pp 223-229 in J Pokorny, O Lhotsky, P Denny, EG Turner (eds), *Wetlands and Wetland Processes*.
- Krasovskii, LI. 1962. The biomass of the underground part of the reed (*Phragmites communis*). *Bot Zh Kyiv* 47:673-677.
- Krasovskii, LI, VA Chashckukhin. 1974. Oxygen regime of the rootstocks of common reed. *Fiziol Rost* 21:315-319.
- Krolikowska, J. 1971. Transpiration of reed (*Phragmites communis*). *Pol Arch Hydrobiol* 18:347-358.
- Krolikowska, J. 1987. Reed (*Phragmites australis* (Cav) Trin ex Steud) growth under conditions of increasing eutrophication of Lake Mikolajskie. *Ekol Pol* 35:209-217.
- Krumsheid, PH, H Stark, M Peintinger. 1989. Decline of reed at Lake Constance (Obersee) since 1967 based on interpretation of aerial photographs. *Aquatic Botany* 35:57-62.
- Ksenofontova, T. 1988. Morphology, production, and mineral contents in *Phragmites australis* in different waterbodies of the Estonian SSR. *Folia Geobotanica et Phytotaxonomica* 23:17-43.
- Ksenofontova, T. 1989. General changes in the Matsalu Bay reedbeds in this century and their present quality (Estonian SSR). *Aquatic Botany* 35:111-120.
- Kudo, G, K Ito. 1988. Rhizome development of *Phragmites australis* in a reed community. *Ecological Research* 3:239-252.

- Kuehl, H, JG Kohl. 1993. Seasonal nitrogen dynamics in reed beds (*Phragmites australis*) in relation to productivity. pp 1-12 in A Hillbricht-Ilkowska, E Pieczynska (eds), Nutrient Dynamics and Retentions in Land/Water Ecotones of Lowland, Temperate Lakes and Rivers.
- Kuehl, H, JG Kohl. 1992. Nitrogen accumulation, productivity, and stability of reed stands (*Phragmites australis*) at different lakes and sites of the Lake Districts of Uckermark and Mark Brandenburg (Germany). *Int Rev Gesamt Hydrobiol* 77:85-107.
- Kuehl, H, D Neuhaus. 1993. The genetic variability of *Phragmites australis* investigated by Random Amplified Polymorphic DNA. pp 9-18 in W Ostendorp, P Krumscheid-Plankert (eds), Lakeshore Deterioration and Restoration Works in Central Europe.
- Kufel, I. 1989. *In situ* decomposition of *Phragmites australis* and *Typha angustifolia*. *Ekol Pol* 36:459-470.
- Kufel, I. 1991. Lead and molybdenum in reed and cattail - open versus closed type of metal cycling. *Aquatic Botany* 40:275-288.
- Kühl, H, JG Kohl. 1992. Nitrogen accumulation, productivity, and stability of reed stands (*Phragmites australis* (Cav) Trin ex Steud) at different lakes and sites of the lake districts of Uckermark and Mark Brandenburg. *Int Rev Gesamte Hydrobiol* 77:85-107
- Kvet, J. 1973. Mineral nutrients in shoots of reed (*Phragmites communis* Trin.). *Pol. Arch. Hydrobiol.* 20:137-147.
- Kvet, J. 1973. Transpiration of South American *Phragmites communis*. pp 143-146 in J Kvet (ed), Littorial of the Neyst Fishpond. *Studie CSAU 15/1973*, Academia, Praha.
- Kvet, J, S Husak. 1978. Primary data on biomass and production estimates in typical stands of fishpond littoral plant communities. *Ecol Stud* 28:211-216.
- Kvet, J, B Ulehlova, J Pelikan. 1973. Structures of the reed-belt ecosystem of the Neyst Fishpond. *Pol Arch Hydrobiol* 20(1):147-150.
- Lathrop, R.G., Windham, L., and Montesano, P. 2003. Does *Phragmites* expansion alter the structure and function of marsh landscapes? Patterns and processes revisited. *Estuaries*. 26 (2B): 423-435.
- Lehman, WC. 1984. Project Benchmark: Ecological Factors Governing Growth of *Phragmites* and Preliminary Investigations of *Phragmites* Control with Glyphosate. Delaware Division of Fish and Wildlife, Dover, Delaware. 30 pp.
- Lenssen, J.P.M., Menting, F.B.J., van der Putten, W.H., and Blom, C.W.P.M. 2000. Variation in species composition and species richness with *Phragmites australis* dominated riparian zones. *Plant Ecology*. 147: 137-146.
- Linedale, A. 1978. Round up your reed problems. *Cane Growers' Quarterly Bulletin*, Queensland, Australia 41(4):16-18.
- Lynch, BM. 1980. A site for all seasons [Seaside Dyke]. *Tay Ringing Group Report*, 1978-79: 49-53.
- Lynch, BM, Ingram, HAP, Barclay, AM, Sprent, JI. 1977. *The performance of reeds in the Firth of Tay, 1976. A further investigation into the influences of commercial harvesting (with a fuller description of the flora of the study area)*. (Contractor: University of Dundee, Department of Biological Sciences) Unpublished report to Nature Conservancy Council, Edinburgh (Internal Report, No. NC 155 I). 13pp + figures.
- Lynch, E.A. and Saltonstall, K. 2002. Paleoecological and genetic analyses provide evidence for recent colonization of native *Phragmites australis* populations in a Lake Superior wetland. *Wetlands*. 22: 637 - 646.
- Lynch, JJ, T O'Neill, DW Lay. 1947. Management and significance of damage by geese and muskrats to Gulf Coast Marshes. *Journal of Wildlife Management* 11:50-76.
- Mal, T.K. and Narine, L. 2004. The biology of Canadian Weeds. 129. *Phragmites australis* (Cav.) Trin. Ex Steud. *Can. J. Plant Sci.* 84: 365-396.

- Marks, M, B Lapin, J Randall. 1994. *Phragmites australis* (*P. communis*): threats, management, and monitoring. *Natural Areas Journal* 14:285-294.
- Mason, CF, RJ Bryant. 1975. Production, nutrient content, and decomposition of *Phragmites communis* and *Typha angustifolia*. *Journal of Ecology* 63:71-95.
- Matoh, T, M Matsushita, E Takahasi. 1988. Salt tolerance of the reed plant *Phragmites communis*. *Physiologia Plantarum* 72:8-14.
- Matyuk, IS. 1960. Some types of reed growths in the delta of the river Volga. *Bot Zh SSSR* 45:1681-1687.
- Mavrogianopoulos, G., V. Vogli, and S. Kyritsis. 2002. Use of wastewater as a nutrient solution in a closed gravel hydroponic culture of giant reed (*Arundo donax*). *Bioresource Technology* 82:103-107.
- McKee, KL, IA Mendelssohn, DM Burdick. 1989. Effect of long-term flooding on root metabolic response in five freshwater marsh plant species. *Canadian Journal of Botany* 67:3446-3452.
- McManus, J, SAK Alizai. 1983. Sediment-filled reed stems as contributors to marsh sediment fabrics. *Journal of Sedimentary Petrology* 53(2):407-409.
- McManus, J, Alizai, SAK. 1983. Sediment-filled reed stems as contributors to marsh sediment fabrics. *Journal of Sedimentary Petrology*, 53(2): 407-409.
- McManus, J, Alizai, SAK. 1987. Variations in marsh surface levels in the upper Tay estuary. pp 345-358 in J. McManus (ed.): *The environment of the Tay estuary. Proceedings of the Royal Society of Edinburgh*, 92B(3/4).
- McMillan, RL. 1976. *Ornithological survey of the Phragmites beds on the north bank of the Tay estuary, 1976. (A preliminary investigation into the breeding species of the area with particular reference to the effects of commercial harvesting of the reeds)*. Unpublished report to Nature Conservancy Council, Edinburgh (Internal Report, No. NC 155 K). 12pp + maps.
- McMillan, RL. 1978. Juvenile sedge warblers at Balhepburn. *Tay Ringing Group Report, 1976-77*: 11-15.
- McNabb, CD, TR Batterson. 1991. Occurrence of the common reed, *Phragmites australis*, along roadside ditches in Lower Michigan. *Michigan Academician* 23:211-220.
- Metzler, K, R Rozsa. 1987. Additional notes on the tidal wetlands of the Connecticut River. *Connecticut Botanical Society Newsletter* 15:1-6.
- Meyerson, L.A., Chambers, R.M., and Vogt, K.A. 1999. The effect of *Phragmites* removal on nutrient pools in a freshwater tidal marsh ecosystem. *Biological Invasions*. 1: 129-136.
- Meyerson, LA, K Saltonstall, L. Windham, E. Kiviat, and S. Findlay. 2000. A comparison of *Phragmites australis* in freshwater and brackish marsh environments in North America. *Wetlands Ecol. and Mgmt* 8: 89-103.
- Meyerson, K.A., Vogt, K.A., and Chambers, R.M. 2000a. Linking the success of *Phragmites* to the alteration of ecosystem nutrient cycles. pp. 827-844 in *Concepts and Controversies in Tidal Marsh Ecology*. Ed. Weinstein, M.P. and Kreeger, D.A. Kluwer Academic Publishers, Dordrecht, Netherlands. 875 pp.
- Min, BM, JH Kim. 1983. Distribution and cycling of nutrients in *Phragmites communis* communities of a coastal salt marsh. *Korean Journal of Botany* 26(1):17-32.
- Min, D. H., L. R. Vough, and I. Reeves, J. B. 2002. Dairy slurry effects on forage quality of orchardgrass, reed canarygrass and alfalfa-grass mixtures. *Animal Feed Science and Technology* 95:143-157.
- Minchinton, T.E. 2002a. Disturbance by wrack facilitates spread of *Phragmites australis* in a coastal marsh. *J. of Experimental Marine Biology and Ecology*. 281: 89-107.
- Minchinton, T.E. 2002b. Precipitation during El Niño correlates with increasing spread of *Phragmites australis* in New England, USA, coastal marshes. *Mar. Ecol. Prog. Ser* 242: 305-309.
- Minchinton, T.E. and Bertness, M.D. 2003. Disturbance-mediated competition and the spread of *Phragmites australis* in a coastal marsh. *Ecological Applications*. 13: 1400-1416.

- Mochacka-Lawacz, H. 1974. Seasonal changes of *Phragmites communis* part II: mineral content. *Pol Arch Hydrobiol* 21:369-380.
- Mook, JH. 1971. Influence of environment on some insects attacking common reed (*Phragmites communis* Trin.). *Hidrobiologia Bucuresti* 12:305-312.
- Mook, JH, J van der Toorn. 1982. The influence of environmental factors and management on stands of *Phragmites australis* II: effects on yield and its relationship with shoot density. *Journal of Applied Ecology* 19:501-517.
- Mook, JH, J van der Toorn. 1985. Delayed response of the common reed *Phragmites australis* to herbivory as a cause of cyclic fluctuations in the density of the moth *Archanara geminipuncta*. *Oikos* 44:142-148.
- Moyes, S. 1990. The origins of the roosting sand martin flocks in the Tay reedbed. *Tay Ringing Group Report*, 1987-88: 16-\*\*.
- Moyes, S, Robertson, D. 1992. A census of water rails (*Rallus aquaticus*) in the Tay reedbeds and the effects of reedbed management on breeding densities. *Tay Ringing Group Report*, 1989-91: 4-\*\*.
- Moyes, SB. 1990. *The effects of reedbed management on the breeding birds of the Tay reedbeds 1989*. (Contractor: Tay Ringing Group). Unpublished report to Nature Conservancy Council, South East Region Scotland (Internal Report, No. NC 239 L). 22pp + maps.
- Moyes, SB, Robertson, D, Yule, B. 2001. A study of water rail (*Rallus aquaticus*) in the Tay reedbeds, 1991-4. *Tay Ringing Group Report*, 1996-97: 13-22.
- Nebesnyy, VB, DV Dubyna, VF Prokopenko, YR Shelyag-Sosonko. 1993. Distribution of heavy metals accumulated in *Phragmites australis* in delta zones of the northern Black Sea coast. *Hydrobiol J* 29:9-21.
- Neuhaus, D, H Kühl, JG Kohl, P Dörfel, T Börner. 1993. Investigation on the genetic diversity of *Phragmites* stands using genomic fingerprinting. *Aquatic Botany* 45:357-364.
- Niering, WA, RS Warren, CG Weymouth. 1977. Our dynamic tidal marshes: vegetation changes as revealed by peat analysis. *Connecticut Arboretum Bulletin* 22:1-12.
- Niering, WA, RS Warren. 1980. Vegetation patterns and processes in New England salt marshes. *Bioscience* 30(5):301-307.
- Nilsson, D., and P.-A. Hansson. 2001. Influence of various machinery combinations, fuel proportions and storage capacities on costs for co-handling of straw and reed canary grass to district heating plants. *Biomass and Bioenergy* 20:247-260.
- Odum, W.E. 1988. Predicting ecosystem development following creation and restoration of wetlands, p. 67-70. In Increasing Our Wetland Resources, J. Zelazny and J.S. Feierabend (eds.), National Wildlife Federation Conference Proceedings, Washington, D.C.
- Ogan, MT. 1991. Some observations on the oxygen sensitivity and seasonal variations of the nitrogenase activity associated with excised soil-plant cores of *Phragmites australis*. *Aquatic Botany* 39:243-254.
- Ondok, JP. 1970. The horizontal structure of reed stands *Phragmites communis* and its relation to productivity. *Predlia (Prague)* 42:256-261.
- Ondok, JP. 1973. Photosynthetically active radiation in a stand of *Phragmites communis* II: model of light extension in the stand. *Photosynthetica (Prague)* 7:50-57.
- Ondok, JP. 1973. Photosynthetically active radiation in a stand of *Phragmites communis* III: distribution of irradiance on sunlit foliage area. *Photosynthetica (Prague)* 7:311-319.
- Ondok, JP. 1975. Photosynthetically active radiation in a stand of *Phragmites communis* IV: stochastic model. *Photosynthetica* 9:201-210.
- Ostendorp, W. 1989. "Die-back" of reed in Europe - a critical review of literature. *Aquatic Botany* 35:5-26.
- Ostendorp, W. 1991. Damage by episodic flooding to *Phragmites* reeds in a pre-alpine lake: proposal of a model. *Oecologia* 86:119-124.
- Ostendorp, W. 1992. Shoreline algal wash as a factor in reed decline in Lake Constance-Untersee. *Hydrobiologia* 242:165-174.

- Ostendorp, W. 1993. Reed bed characteristics and significance of reeds in landscape ecology. pp 149-161 in W Ostendorp, P Krumscheid-Plankert (eds), Lakeshore deterioration and restoration Works in Central Europe, Fischer-Verlag, Stuttgart, FRG.
- Ostendorp, W, J Möller. 1991. The EM-algorithm as a tool for structure analysis of stands of the common reed (*Phragmites australis* (Cav) Trin ex Steud). Ecological Modelling 53:27-38.
- Ostendorp, W., E. Tiedge, and S. Hille. 2001. Effect of eutrophication on culm architecture of lakeshore *Phragmites* reeds. Aquatic Botany 69:177-193.
- Otto, S, PM Groffman, SEG Findlay, and AE Arreola. 1999. Invasive plant species and microbial processes in a tidal freshwater marsh. J Environ Qual 18(4): 1252-1257,
- Parsons, KC. 1995. Heron nesting at Pea Patch Island, Upper Delaware Bay, USA: abundance and reproductive success. Colonial Waterbirds 18(1):69-78.
- Paulrud, S., and C. Nilsson. 2001. Briquetting and combustion of spring-harvested reed canary-grass: effect of fuel composition. Biomass and Bioenergy 20:25-35.
- Paulrud, S., C. Nilsson, and M. Ohman. 2001. Reed canary-grass ash composition and its melting behaviour during combustion. Fuel 80:1391-1398.
- Pazourek, J. 1973. The density of stomata in leaves of different ecotypes of *Phragmites communis*. Folia Geobot Phytotax 8:15-21.
- Peach, WJ. 2001. Minimum breeding population of bearded tits on the Tay reedbeds in 2000: an analysis of Tay Ringing Group mark-recapture data. *Tay Ringing Group Report 1998–2000*: 24–28.
- Pearcy, RW, *et al.* 1974. Field photosynthetic performance and leaf temperatures of *Phragmites communis* under summer conditions in Death Valley, California. Photosynthetica (Prague) 8:104-108.
- Pempkowiak, J., and H. Obarska-Pempkowiak. 2002. Long-term changes in sewage sludge stored in a reed bed. The Science of The Total Environment 297:59-65.
- Perkuchin, DR. 1983. Environmental Assessment for Chemical Control of *Phragmites* on Prime Hook National Wildlife Refuge. U.S. Fish and Wildlife Service, Bombay Hook National Wildlife Refuge, Smyrna, Delaware. 17 pp.
- Perry, J.E., T.A. Barnard, J.G. Bradshaw, C. Friedrichs, K.J. Havens, P. Mason, W. Priest, and G. Silberhorn. 2001. Creating tidal salt marshes in the Chesapeake Bay. Journal of Coastal Research, *Special Issue No. 27*, 170-191.
- Phillips, JD. 1987. Shoreline processes and establishment of *Phragmites australis* in a coastal plain estuary. Vegetatio 71:139-144.
- Pieczynska, E. 1988. Long-term changes in littoral habitats and communities in Lake Mikolajskie (Poland). Int Rev Gesamt Hydrobiol 73:361-378.
- Pintera, A. 1971. Some observations on mealy plum aphid, *Hyalopterus pruni* Geoffi, occurring on reeds. Hidrobiologia (Bucharest) 12:293-295.
- Planter, M. 1970. Elution of mineral components out of dead reed, *Phragmites communis*. Pol Srch Hydrobiol 17:357-362.
- Pokorny, V. 1971. Flies of the genus *Lipara meigen* on common reed. Hidrobiologia (Bucharest) 12:287-292.
- Polunin, NVC. 1982. Processes contributing to the decay of reed (*Phragmites australis*) litter in fresh water. Arch Hydrobiology 94(2):182-209.
- Priest, WI III. 1989. Wetlands mitigation evaluation vegetation studies, Monkey Bottom disposal area. Final report to the City of Norfolk. College of William and Mary, School of Marine Science, Virginia Institute of Marine Science. 20 pp.
- Priest, WI, S Dewing. 1991. The marshes of Back Bay, Virginia. pp 222- 229 in Marshall, HG, and MD Norman, eds, Proceedings of the 1990 Back Bay Ecological Symposium, Department of Biological Sciences, Old Dominion University, Norfolk, Virginia.
- Pyke, C.R. and K.J. Havens. 1999. Distribution of the invasive reed *Phragmites australis* relative to sediment depth in a created wetland. Wetlands 19(1): 283-287.
- Raicu, P, S Staicu, V Stoian, T Roman. 1972. *Phragmites communis* Trin chromosome complement in the Danube Delta. Hidrobiologia 39:83-89.
- Ravit, B., Ehrenfeld, J.G., and Haggblom, M.M. 2003. Comparison of sediment microbial communities associated with *Phragmites australis* and *Spartina alterniflora* in two brackish wetlands of New Jersey. Estuaries. 26 (2B): 465-474.

- Rawinski, T.J. 1985. Common Reed (*Phragmites australis*) in a Select Group of New York/New England Natural Areas, an Overview. Unpublished report of the Eastern Heritage Task Force, The Nature Conservancy. 6 pp.
- Rea, N. 1996. Water levels and *Phragmites*: Decline from lack of regeneration and dieback from shoot death. *Folia Geobot. Phytotax* 31: 85-90.
- Rezk, MR, and TY Edany. 1978. Comparative responses of two reed species to water table levels. *Egyptian Journal of Botany* 2(2)157-172.
- Ricciuti, ER. 1983. The all too common, common reed. *Audubon Magazine*, September 1983, pp 64-67.
- Rice, D., Rooth, J., Stevenson, J.C. 2000. Colonization and expansion of *Phragmites australis* in upper Chesapeake Bay tidal marshes. *Wetlands*. 20: 280-299.
- Richburg, J.A., Patterson, III, W.A., Lowenstein, F. 2001. Effects of road salt and *Phragmites australis* invasion on the vegetation of a western Massachusetts calcareous lake-basin fen. *Wetlands*. 21: 247-255.
- Rickey, M.A. and Anderson, R.C. 2004. Effects of nitrogen addition on the invasive grass *Phragmites australis* and a native competitor *Spartina pectinata*. *J. of Applied Ecol.* 41: 888-896.
- Riemer, DN. 1971. Effects of split applications of Dalapon on *Phragmites*. *Down to Earth* 27:7-9.
- Riemer, DN. 1973. Effects of rate, spray volume, and surfactant on the control of *Phragmites* with glyphosate. *Proceedings of the Annual Meeting of the New England Weed Science Society* 27:101-104.
- Riemer, DN. 1976. Long-term effects of glyphosate applications to *Phragmites*. *Journal of Aquatic Plant Management* 14:39-43.
- Rigg, GB. 1931. The occurrence of *Phragmites communis* in western Washington and Oregon. *Rhodora* 33:170-171.
- Robertson, D. 1990. A census of water rails (*Rallus aquaticus*) in Tay reedbeds. *Tay Ringing Group Report*, 1987-88: 11-\*\*.
- Robertson, D. 2001. Reed warblers breeding in the Tay reedbeds. *Tay Ringing Group Report*, 1998-2000: \*\*-\*\*.
- Robertson, D, Moyes, S. 1992. A study of breeding sedge warblers in the Tay reedbeds. *Tay Ringing Group Report*, 1989-91: \*\*-\*\*.
- Rolletschek, H, A Rolletschek, T Hartzendorf, JG Kohl. 2000. Physiological consequences of mowing and burning of *Phragmites australis* stands for rhizome ventilation and amino acid metabolism. *Wetlands Ecol and Mgmt* 8: 425-433.
- Roman, CT, WA Niering, RS Warren. 1984. Salt marsh vegetation change in response to tidal restriction. *Environmental Management* 8:141-150.
- Roman, L, T Roman, E Lixandru, C Ilies. 1971. The role of the hydrological factor in the mineral nutrition of the reed and its chief floristical partners - the mace reed and the sedge. *Hidrobiologia* 12:135-147.
- Roos, PJ, JT Meulmans. 1987. Underwater light regime in a reedstand - short-term, daily, and seasonal. *Arch Hydrobiol* 111:161-169.
- Rooth, JE, JC Stevenson. 2000. Sediment deposition patterns in *Phragmites australis* communities: Implications for coastal areas threatened by rising sea-level. *Wetlands Ecol and Mgmt* 8: 173-183.
- Saltonstall, K. 2002. Cryptic invasion by a non-native genotype of the common reed, *Phragmites australis*, into North America. *PNAS*. 2002. 99(4): 2445-2449.
- Saltonstall, K. 2003. Genetic variation among North American populations of *Phragmites australis*: Implications for Management. *Estuaries*. 26 (2B): 444-451.
- Saltonstall, K., Peterson, P.M., and Soreng, R.J. 2004. Recognition of *Phragmites australis* Subsp. *americanus* (Poaceae: Arundinoideae) in North America: Evidence from morphological and genetic analyses. *SIDA*. 21(2) 683-692.
- Schierup, HH. 1978. Biomass and primary production in a *Phragmites communis* swamp in North Jutland, Denmark. *Proceedings of the International Association of Theoretical and Applied Limnology* 20:94-99
- Schierup, HH, VH Larsen. 1981. Macrophytes cycling of zinc, copper, lead, and cadmium in the littoral zone of a polluted and a non-polluted lake I: availability, uptake, and translocation of heavy metals in *Phragmites australis* (Cav) Trin. *Aquatic Botany* 11:197-210.
- Schmid, B, FA Bazzaz. 1987. Clonal integration and population structure in perennials: effects of severing rhizome connections. *Ecology* 68:2016-2022

- Schogolev, IV. 1995. Fluctuations in breeding populations of colonial waterbirds in the Dnestr Delta, Ukraine, Black Sea. *Colonial Waterbirds* 18 (Spec. Publ. 2).
- Scholz, M., and J. Xu. 2002. Comparison of constructed reed beds with different filter media and macrophytes treating urban stream water contaminated with lead and copper. *Ecological Engineering* 18:385-390.
- Schröder, R. 1979. The decline of reed swamps in Lake Constance. *Symp Biol Hung* 19:43-48.
- Seabloom, E.W., Harpole, W.S., Reichman, O.J., and Tilman, D. 2003. Invasion, competitive dominance, and resource use by exotic and native California grassland species. *PNAS*. 100 (23): 13384-13389.
- Seelig, A. Primary production of *Phragmites australis*. *Arch Hydrobiol* 75:325-340.
- Seliskar, D.M., Smart, K.H., Higashikubo, B.T, and Gallagher, J.L. 2004. Seedling sulfide sensitivity among plant species colonizing *Phragmites*-infested wetlands. *Wetlands*. 24: 426-433.
- Shay, JM, DJ Thompson. 1981. Effect of fire on *Phragmites australis* dominated communities at Delta, Manitoba. *Proceedings 13th International Botanical Congress, Sydney, Australia*, 13:113.
- Shay, JM, DJ Thompson, CR Shay. 1987. Post-fire performance of *Phragmites australis*. pp 95-103 in J Pokorny, O Lhotsky, P Denny, EG Turner (eds), *Wetlands and Wetland Processes*.
- Shay, JM, CT Shay. 1986. Prairie marshes in western Canada with specific reference to the ecology of five emergent macrophytes. *Canadian Journal of Botany* 64:443-454.
- Shatalov, A. A., and H. Pereira. 2002. Influence of stem morphology on pulp and paper properties of *Arundo donax* L. reed. *Industrial Crops and Products* 15:77-83.
- Silberhorn, GM. 1991. Reed Grass, *Phragmites australis*. *Wetland Flora Technical Report Series #91-1*, Virginia Institute of Marine Science, The College of William and Mary, Gloucester Point, Virginia. 1 page.
- Silliman, B.R. and Bertness, M.D. 2004. Shoreline development drives invasion of *Phragmites australis* and the loss of plant diversity on New England salt marshes. *Conservation Biology*. 18: 1424-1434.
- Sinicrope, TL, PG Hine, RS Warren, WA Niering. 1990. Restoration of an impounded salt marsh in New England. *Estuaries* 13:25-30.
- Skuhrava, M. and V. Skuhavy. 1981. Die Gallmücken (Cecidomyiidae, Diptera) des Schlifs (*Phragmites communis* Trin.) *Studie CSAV, Prag* 3:1-150.
- Skuhavy, V. 1978. Invertebrates: destroyers of common reed. pp 376-388 in D Dykyjova and J Kvet, eds, *Pond Littoral Ecosystems Structure and Functioning*. Springer-Verlag, New York.
- Small, G. 1984. The winter harvest. *Scots Magazine*, 122(3) (Dec. 1984): 253-257.  
[A popular magazine article about the harvesting of reeds in the Tay estuary, Scotland]
- Spence, D.H.M. 1964. The macrophytic vegetation of freshwater lochs, swamps, and associated fens. In *The Vegetation of Scotland*, J.H. Burnett (ed.), Edinburgh, Oliver, and Boyd, 306-425.
- Squires, L, AG van der Valk. 1992. Water-depth tolerances of the dominant emergent macrophytes of the Delta Marsh, Manitoba. *Can J Botany* 70:1860-1867.
- St-Cyr, L, AA Crowder. 1989. Factors affecting iron plaque on the roots of *Phragmites australis*. *Plant Soil* 116:85-93.
- Stalter, R. 1975. *Phragmites communis* in South Carolina. *Rhodora* 77:159.
- Stalter, R, J Baden. 1994. A twenty year comparison of three abandoned rice fields, Georgetwon County, South Carolina. *Castanea* 59:69-77
- Stark, H, M Dienst. 1989. Dynamics of lakeside reed belts at Lake Constance (Untersee) from 1984 to 1987. *Aquatic Botany* 35:63-70.
- Steenis, JH, EB Chaberbain, RA Beck. 1959. Recent developments in *Phragmites* control. *Proceedings 13th Annual Meeting Northeastern Weed Control Conference, New York, NY* 13:293-298.
- Studer, C, R Braendle. 1987. Ethanol, acetaldehyde, ethylene release, and ACC concentration of rhizomes from marsh plants under normoxia, hypoxia, and anoxia. pp 292-301 in RMM Crawford (ed), *Plant Life in Aquatic and Amphibious Habitats, Spec Publ Br Ecol Soc, vol 5*.
- Sukkop, H, B Markstein. 1989. Changes of the reed beds along the Berlin Havel, 1962-1987. *Aquatic Botany* 35:27-39.
- Suzuki, T, K Moriyama, Y Kurihara. 1989. Distribution of heavy metals in a reed marsh on a riverbank in Japan. *Aquatic Botany* 35:121-127.
- Szajnowski, F. 1970. The relations between the reed standing crop and fishery effect. *Pol Arch Hydrobiol* 17(3):363-371.

- Szajnowski, F. 1973. Relationship between leaf area index and shoot production of *Phragmites communis*. Pol Arch Hydrobiol 20:257-268.
- Szczepanska, W, A Szczepanski. 1976 Growth of *Phragmites communis* Trin., *Typha latifolia* L., and *Typha angustifolia* L. in relation to the fertility of soils. Pol Arch Hydrobiol 23:233-248.
- Szczepanska, W, A Szczepanski. 1982. Interactions between *Phragmites australis* and *Typha latifolia*. Ekologia Polska 30(1-2):165-186.
- Takeda, S, Y Kurihara. 1988. The effects of the reed, *Phragmites australis*, on substratum grain size distribution in a salt marsh. Oceanogr Soc Japan 44:103-112.
- Templer, P., Findlay, S., and Wigand, C. 1998. Sediment chemistry associated with native and non-native emergent macrophytes of a Hudson River marsh ecosystem. Wetlands. 18: 70-78.
- Thompson, DJ, JM Shay. 1985. The effects of fire on *Phragmites australis* in the Delta Marsh, Manitoba, Canada. Canadian Journal of Botany 63:1864-1869.
- Thompson, DJ, JM Shay. 1989. First-year response of a *Phragmites* marsh community to seasonal burning. Canadian Journal Botany 67:1448-1455.
- Tilton, DL, RH Kadlec. 1979. The utilization of a freshwater wetland for nutrient removal from secondarily treated waste-water effluent. Journal of Environmental Quality 8:328-334.
- Toth, L. 1972. Reeds control eutrophication of Balaton Lake. Water Research 6: 1533-1539.
- Truitt, B. 1996. Low altitude remote sensing and mapping of phragmites utilizing videography. pp 44-46 in State of Stewardship 1996: Innovations from the Field, a publication of The Nature Conservancy, Arlington, VA
- Tscharntke, T. 1988. Variability of the grass *Phragmites australis* in relation to the behavior and mortality of the gall-inducing midge *Giraudiella inclusa* (Diptera, Cecidomyiidae). Oecologia 76:504-512.
- Tscharntke, T. 1989. Attack by a stem-boring moth increases susceptibility of *Phragmites australis* to gall-making by a midge: mechanisms and effects on midge population dynamics. Oikos 55:93-100.
- Tscharntke, T. 1989. Mass attack of *Phragmites australis* by *Hyalopterus pruni* (Homoptera, Aphididae): significance of habitat size, edge infestation, and parasitization. Zoologisches Jahrbuch, Abteilung für Systematik, Ökologie und Geographie der Tiere 116:329-334.
- Tscharntke, T. 1990. Fluctuations in abundance of a stem-boring moth damaging shoots of *Phragmites australis*: causes and effects of overexploitation of food in a late-successional grass monoculture. Journal of Applied Ecology 27:679-692.
- Tscharntke, T. 1992. Fragmentation of *Phragmites* habitats, minimum viable population size, habitat suitability, and local extinction of moths, midges, flies, aphids, and birds. Conservation Biology 6(4):530-536.
- Tyrawski, JM. 1977. A Study of the Common Reedgrass (*Phragmites communis Trin*) in the Coastal Zone of Delaware. MS thesis, University of Delaware. 164 pp.
- Uchytel, RJ. 1992. *Phragmites australis*. in WC Fisher (compiler), The Fire Effects Information System (database), Missoula, Montana: US Department of Agriculture, Forest Service, Intermountain Research Station, Intermountain Fire Sciences Laboratory. Magnetic tape reels, 9 track, 1600 bpi, ASCII with common LISP present.
- Ulehlova, B, S Husak, J Dvorak. 1973. Mineral cycles in reed stands of Nesyt fishpond in southern Moravia. Pol Arch Hydrobiol 20:121-129.
- Ulrich, KE, TM Burton. 1985. The effects of nitrate, phosphate, and potassium fertilization on growth and nutrient uptake patterns of *Phragmites australis*. Aquatic Botany 21:53-62.
- Ulrich, KE, TM Burton. 1988. An experimental comparison of the dry matter and nutrient distribution patterns of *Typha latifolia*, *Typha angustifolia*, *Sparganium eurycarpum*, and *Phragmites australis*. Aquatic Botany 32:129-139.
- van der Linden, MJHA. 1980 Nitrogen economy of reed vegetation in the Zuidelijk Flevoland Polder I: distribution of nitrogen among shoots and rhizomes during the growing season and loss of nitrogen due to fire management. Acta Æcologica/Æcol Plant 1:219-230.
- van der Linden, MJHA. 1986. Phosphorus economy of reed vegetation in the Zuidelijk Flevoland Polder (the Netherlands): seasonal distribution of phosphorous among shoots and rhizomes and availability of soil phosphorous. Acta Æcologica/Æcol Plant 7:397-405.
- van der Merff, M, JW Simmers, SH Kay. 1987. Biology, management, and utilization of common reed *Phragmites australis*. US Army Report, Contract number DAJA45-86-M-0482. 101 pp.

- van der Putten, W. 1993. Effects of litter on the growth of *Phragmites australis*. pp 19-22 in W Ostendorp, P Krumscheid-Plankert (eds), Lakeshore Deterioration and Restoration Works in Central Europe, Fischer-Verlag, Stuttgart, FRG.
- van der Putten, W.H. 1997. Die-back of *Phragmites australis* in European wetlands: an overview of the European Research Programme on reed die-back and progression. *Aquatic Botany*. 59:263-275.
- van der Toorn, J. 1972. Variability of *Phragmites australis* in relation to the environment. *Van Zee tot Land* 48:1-122.
- van der Toorn, J, JH Mook. 1982. The influence of environmental factors and management on stands of *Phragmites australis* I: effects of burning, frost, and insect damage on shoot density and shoot size. *Journal of Applied Ecology* 19:477-499.
- van der Valk, AG, JM Rhymer, HR Murkin. 1991. Flooding and the decomposition of litter of four emergent plant species in a prairie wetland. *Wetlands* 11:1-16.
- van der Valk, AG. 1994. Effects of prolonged flooding on the distribution and biomass of emergent species along a freshwater wetland coenocline. *Vegetatio* 110:185-195.
- van den Wyngaert, I. J. J., L. D. Wienk, S. Sollie, R. Bobbink, and J. T. A. Verhoeven. 2003. Long-term effects of yearly grazing by moulting Greylag geese (*Anser anser*) on reed (*Phragmites australis*) growth and nutrient dynamics. *Aquatic Botany* 75:229-248.
- van Deursen, EJM, HJ Drost. 1990. Defoliation and treading by cattle of reed *Phragmites australis*. *Journal of Applied Ecology* 27:284-297.
- Vasquez, E.A., Glenn, E.P., Brown, J.J., Guntenspergen, G.R., Nelson, S.G. 2005. Salt tolerance underlies the cryptic invasion of North American salt marshes by an introduced haplotype of the common reed *Phragmites australis* (Poaceae). *Marine Ecology Progress Series*. 298: 1-8.
- Vogel, M. 1984. Okologische unteruchungen in einem Phragmits Bestand. *Berichte der Akademik fur Naturschutz und Landschaftspflege Laufen* 8:130-166.
- Wainright, SC, MP Weinstein, KW Able, and C Currin. In press. Relative importance of *Spartina*, *Phragmites*, benthic microalgae, and phytoplankton to food webs in restored and unaltered marsh habitats. *Marine Ecology Progress Series*.
- Waisel, Y, Y Rechaw. 1971. Ecotypic differentiation in *Phragmites communis*. *Hydrobiologia* 12:259-266.
- Walker, JM, ER Waygood. 1968. Ecology of *Phragmites communis* I: photosynthesis of a single shoot *in situ*. *Canadian Journal Botany* 46:549.
- Wargo, JG. 1989. Avian species richness: and natural marsh versus and enhanced marsh. MS thesis, Rutgers University, New Jersey. 95 pp.
- Warren, R.S., Fell, P.E., Grimsby, J.L., Buck, E.L., Rilling, C., and Fertick, R.A. 2001. Rates, patterns, and impacts of *Phragmites australis* expansion and effects of experimental *Phragmites* control on Vegetation, macroinvertebrates and fish within Tidelands of the Lower Connecticut River. *Estuaries*. 24: 90-107.
- Warren, R.S., Fell, P.E., Rozsa, R., Brawley, A.H., Orsted, A.C., Olson, E.T., Swamy, V., Niering, W.A. 2002. Salt marsh restoration in Connecticut: 20 years of science and management. *Restoration Ecology*. 10: 497-513.
- Wathugala, AG, T Suzuki, Y Kurihara. 1987. Removal of nitrogen, phosphorus, and COD from waste water using sand filtration system with *Phragmites australis*. *Water Res* 21:1217-1224.
- Watt, KR, Hancock, EG, Horsfield, D, MacGowan, I. 1997. Rare and local Diptera from the Tay reed beds in Scotland. *Dipterists Digest*, 4(1): 30-34.
- Weinstein, MP and JH Balletto. 1999. Does the common reed, *Phragmites australis*, affect essential fish habitat? *Estuaries* 22:793-802.
- Weisner, SEB. 1988. Factors affecting the internal oxygen supply of *Phragmites australis in situ*. *Aquatic Botany* 31:329-335
- Weisner, SEB, B Ekstam. 1993. Influence of germination time on juvenile performance of *Phragmites australis* on temporarily exposed bottoms - implications for the colonization of lake beds. *Aquatic Botany* 45:107-118.
- Weisner, SEB, W Graneli. 1989. Influence of substrate conditions on the growth of *Phragmites australis* after a reduction in oxygen transport to below-ground parts. *Aquatic Botany* 35:71-80.
- Weisner, SEB, W Granéli, B Ekstam. 1993. Influence of submergence on growth of seedlings of *Scirpus lacustris* and *Phragmites australis*. *Freshwater Biology* 29:371-375.
- Welsser, PJ, RJ Parsons. 1981. Monitoring *Phragmites australis* increases from 1937 to 1976 in Siyai Lagoon (South Africa) by means of photo interpretation. *Bothalia* 13(3-4):553-556.

- White, DA, MJ Schott. 1988 *Phragmites australis* in the Mississippi River delta: a morphometric analysis. *American Journal Botany* 75:86.
- Whittendale, TW, RA Beck, and G Howe. 1984. Experimental use of glyphosate for control of phragmites in Delaware's wetlands. *Northeast Fish and Wildlife Conference* 41: [LISTED AS IN PRESS].
- Wijte, AH and JL Gallagher. 1996. Effect of oxygen availability and salinity on early life history stages of salt marsh plants. I. Different germination strategies of *Spartina alterniflora* and *Phragmites australis* (Poacea). *American Journal of Botany* 83: 1337-1342.
- Wijte, A.H.B.M. and Gallagher, J.L. 1996. Effect of oxygen availability and salinity on early life history stages of salt marsh plants. II. Early seedling development advantage of *Spartina alterniflora* over *Phragmites australis* (Poaceae). *American Journal of Botany*. 83: 1343-1350.
- Wilcox, K.L., Petrie, S.A., Maynard, L.A., and Meyer, S.W. 2003. Historical distribution and abundance of *Phragmites australis* at Long Point, Lake Erie, Ontario. *Journal of Great Lakes Research*. 29: 664-680.
- Windham, L. 1995. Effects of *Phragmites australis* invasion on aboveground biomass and soil properties in brackish tidal marsh of the Mullica River, New Jersey. Masters Thesis, Rutgers University, New Brunswick, New Jersey.
- Windham, L. 2001. Comparison of biomass production and decomposition between *Phragmites australis* (Common Reed) and *Spartina patens* (Salt hay grass) in brackish tidal marshes of New Jersey, USA. *Wetlands*. 21(2): 179-188.
- Windham, L. and Ehrenfeld, J.G. 2003. Net impact of a plant invasion on nitrogen-cycling processes within a brackish tidal marsh. *Ecological Applications*. 13: 883-897.
- Windham, L. and Lathrop, Jr., R.G. 1999. Effects of *Phragmites australis* (common reed) invasion on aboveground biomass and soil properties in brackish tidal marsh of the Mullica River, New Jersey. *Estuaries*. 22: 927-935.
- Windham, L. and Meyerson, L.A. 2003. Effects of common reed (*Phragmites australis*) expansions on Nitrogen dynamics of tidal marshes of the Northeastern U.S. *Estuaries*. 26 (2B): 452-464.
- Windham, L., J. S. Weis, and P. Weis. 2001. Lead Uptake, Distribution, and Effects in Two Dominant Salt Marsh Macrophytes, *Spartina alterniflora* (Cordgrass) and *Phragmites australis* (Common Reed). *Marine Pollution Bulletin* 42:811-816.
- Windham, L., J. S. Weis, and P. Weis. 2003. Uptake and distribution of metals in two dominant salt marsh macrophytes, *Spartina alterniflora* (cordgrass) and *Phragmites australis* (common reed). *Estuarine, Coastal and Shelf Science* 56:63-72.
- Yamasaki, S. 1981. Effects of water level on the development of rhizomes of three hygrophytes. *Japanese Journal of Ecology* 31:353-359.
- Yamasaki, S. 1984. Role of plant aeration in zonation of *Zizania latifolia* and *Phragmites australis*. *Aquatic Botany* 18:287-297.
- Yamasaki, S. 1987. Oxygen demand and supply in *Zizania latifolia* and *Phragmites australis*. *Aquatic Botany* 29:205-215.
- Yamasaki, S. 1990. Population dynamics in overlapping zones of *Phragmites australis* and *Miscanthus sacchariflorus*. *Aquatic Botany* 36:367-377.
- Yamasaki, S. 1992. Early withering of lower leaves of *Phragmites australis* in a eutrophic stand: role of oxygen concentration, fate of nitrogen and nitrogen uptake by the plants. *Aquatic Botany* 42:143-157.
- Yamasaki, S. 1993. Probably effects of algal bloom on the growth of *Phragmites australis*. *J Plant Res* 106:113-120.
- Yamasaki, S, I Tange. 1981. Growth responses of *Zizania aquatica*, *Phragmites australis*, and *Miscanthus sacchariflorus* to varying inundation. *Aquatic Botany* 10:229-239.
- Young, SW, DH Davies, PJ Milligan. 1991. The potential of anatomical features of the common reed *Phragmites australis* (Cav) Trin ex Steud as a biotic indicator of adjoining land use. *Archives Hydrobiology* 122:297-304.
- Zedler, JB and R Langis. 1991. Comparisons of constructed and natural salt marshes of San Diego Bay. *Restoration Management Notes* 9:1-25.
2002. Briquetting and combustion of spring-harvested reed canary-grass: effect of fuel composition. *Fuel and Energy Abstracts* 43:118-119.
2002. Reed canary-grass ash composition and its melting behaviour during combustion. *Fuel and Energy Abstracts* 43:198.